Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 1/8

VL3D VETRO LIQUIDO 100-60 COMP. A

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: ERE100B

Product name VL3D VETRO LIQUIDO 100-60 COMP. A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Transparent paint

1.3. Details of the supplier of the safety data sheet

Name NIKKOLOR ITALIA s.r.l.
Full address VIA ALBANI, 2
District and Country 96014 FLORIDIA (SR)
IT

tel. +39 0931 1623959

e-mail address of the competent person

responsible for the Safety Data Sheet nikkolor@gmail.com

1.4. Emergency telephone number

For urgent inquiries refer to +39 0931 1623959

SECTION 2. Hazards identification.

2.1. Substance or mixture classification EC Regulation Regulation 1272/2008 (CLP): Attention, Skin Irrit. 2, Causes skin irritation.

Attention, Eye Irrit. 2, Causes serious eye irritation.

Attention, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Physico-chemical effects harmful to human health and the environment: No other danger

2.2. Elements of the label Hazard pictograms:





Caution
Indications of Danger:
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
Prudence Advice:
P273 Do not disperse in the environment.

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 2/8

VL3D VETRO LIQUIDO 100-60 COMP. A

P280 Wear protective clothing and protect face.

P333 + P313 In case of irritation or skin rash: consult a doctor.

P337 + P313 If eye irritation persists, consult a doctor.

P391 Collect leaked material.

P501 Dispose of contents / container in accordance with regulations.

Special provisions:

None

It Contains

reaction product: bisphenol-A-epichlorohydrin

1,6-bis (2,3-epoxypropoxy) hexane

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other dangers

VPvB Substances: None - PBT Substances: None

Other hazards: No other danger

SECTION 3. Composition / information on ingredients.

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components according to the CLP Regulation and related classification:

Qty	Name	Identification number		Classification
>= 50% - < 60%	1,6-bis(2,3- epoxypropoxy)hexane	CAS: EC:	16096-31-4 240-260-4	4.1/C2 Aquatic Chronic 2 H411 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 3.4.2/1 Skin Sens. 1 H317
>= 50% - < 60%	reaction product: bisphenol-A-epichlorohydrin	Number Index: CAS: EC:	603-074-00-8 25068-38-6 500-033-5	4.1/C2 Aquatic Chronic 2 H411 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 3.4.2/1 Skin Sens. 1 H317

SECTION 4. First aid measures.

4.1. Description of first aid measures

In case of contact with the skin:

Remove contaminated clothing immediately.

Immediately wash with plenty of running water and eventually soap the areas of the body that have come into contact with the product, even if only suspect.

Wash the body completely (shower or bath).

Remove contaminated clothing immediately and dispose of it safely.

In case of contact with skin, wash immediately with plenty of water and soap.

In case of eye contact:

In case of contact with eyes, rinse them with water for an appropriate period of time and keep the eyelids open, then immediately consult an ophthalmologist.

Protect the unharmed eye.

In case of ingestion:

Do not induce vomiting. RECOMMEND IMMEDIATELY AT MEDICAL VISIT.

In case of inhalation:

Bring the injured person into the open air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

VL3D VETRO LIQUIDO 100-60 COMP. A

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 3/8

Nobody

4.3. Indication of any need to immediately consult a doctor and special treatments

In case of accident or if you feel unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Symptomatic treatment.

SECTION 5. Firefighting measures.

5.1. Fire fighting

Suitable extinguishing media:

Water

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

No one in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale the gases produced by the explosion and combustion.

Combustion produces heavy smoke.

5.3. Recommendations for firefighters

Use appropriate respiratory equipment.

Collect the contaminated water used to extinguish the fire separately. Do not discharge it into the sewage system.

If it is feasible from a safety point of view, move undamaged containers from the immediate danger area.

SECTION 6. Measures in case of accidental release.

6.1. Personal precautions, protective equipment and procedures in case of emergency

Wear personal protective equipment.

Move people to a safe place.

Consult the protective measures described in points 7 and 8.

6.2. Environmental precautions

Prevent penetration into the soil / subsoil. Preventing run-off into surface water or into the sewage system.

Keep contaminated washing water and eliminate it.

In case of gas leak or penetration into watercourses, soil or drains, inform the responsible authorities.

Suitable material for collection: absorbent, organic material, sand

6.3. Methods and materials for containment and remediation

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7. Handling and storage.

7.1. Precautions for Safe Handling

Avoid contact with skin and eyes, inhalation of vapors and mists.

Do not use empty containers before they have been cleaned.

Before transfer operations make sure that there are no incompatible residues in the containers.

Contaminated clothing must be replaced before access to the dining areas.

At work do not eat or drink.

Please also refer to paragraph 8 for recommended protective devices.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular. See also the following paragraph 10.

Indication for the premises:

Properly ventilated rooms.

7.3. Specific end uses

No particular use

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 4/8

VL3D VETRO LIQUIDO 100-60 COMP. A

8.1. Control parameters

No occupational exposure limits are available

DNEL exposure limit values

N.A.

PNEC exposure limit values

N.A.

8.2. Exposure controls

Eye protection:

Use safety goggles that comply with the standards to avoid exposure to splashes of liquids, gases or dusts. If contact is made it is possible to use chemical-resistant splash goggles, unless the assessment indicates the need for a higher degree of protection.

Skin protection

Personal protective equipment for the body must be chosen according to the risks expected for the task performed and approved by qualified personnel before their use for handling. Use suitable protective clothing.

Hand protection:

Use protective gloves that guarantee total protection, for example in PVC, neoprene or rubber.

SECTION 8. Exposure controls / personal protection....

Respiratory protection:

In case of insufficient ventilation use respiratory equipment. The choice of respirator must be based on known or anticipated exposure levels, the risks of the product and the safe functioning limits of the chosen respirator.

Thermal risks:

Nobody

Environmental exposure controls:

Nobody

Suitable technical checks:

Nobody

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties

Property:	Value:	Method:	Note:
Appearance and color:	Amber liquid		
Smell:	Odorless		
Odor threshold:	Not relevant		
pH:	Not relevant		
Melting / freezing point:	Not relevant		
Initial boiling point and boiling	Not relevant		
range:			
Flash point:	75 + _3.8 ° C	EN ISO 2719	Closed jar
Evaporation rate:	Not relevant		
Solid / gas flammability:	Not relevant		
Upper / lower flammability or	Not relevant		
explosion limit:			
Steam pressure:	Not relevant		
Vapor density:	Not relevant		
Relative density:	1.14 + 0.05 kg		
	/1		
Water solubility:	Not relevant		
Solubility in oil:	Not relevant		
Partition coefficient (n-octanol /	Not relevant		
water):			
Auto-ignition temperature:	Not relevant		
Decomposition temperature:	Not relevant		
Viscosity:	1000 mPas		Measurement tool: Brookfield
Explosive properties:	Not relevant		
Oxidizing properties:	Not relevant		

9.2. Other information

Property:	Value:	Method:	Note:
Miscibility:	Not relevant	1	

VL3D VETRO LIQUIDO 100-60 COMP. A

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 5/8

Lipid:	Not relevant	
Conductivity:	Not relevant	
Characteristic properties of the	Not relevant	
groups of substances		

SECTION 10. Stability and reactivity.

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of dangerous reactions

Nobody

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

Nobody.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects

Toxicological information concerning the product:

Toxicological information concerning the main substances present in the product:

N.A.

Unless otherwise specified, the data required by Regulation (EU) 2015/830 indicated below are to be understood as N.A.:

- a) acute toxicity;
- b) skin corrosion / irritation;
- c) Serious eye damage / irritation;
- d) respiratory or skin sensitization;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) specific target organ toxicity (STOT) single exposure;
- i) specific target organ toxicity (STOT) repeated exposure;
- j) danger in case of aspiration.

SECTION 12. Ecological information.

12.1. Toxicity

Use according to good working practices, avoiding to disperse the product in the environment.

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in the soil

N.A.

12.5. Results of the PBT and vPvB assessment

VPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Nobody

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 6/8

VL3D VETRO LIQUIDO 100-60 COMP. A

SECTION 13. Disposal considerations.

13.1. Waste treatment methods

Recover if possible. Operate according to local and national regulations.

Additional disposal information:

Recover if possible. Send to authorized waste disposal plants or incinerators under controlled conditions. Operate according to local and national regulations.

SECTION 14. Transport information.





14.1. UN number ADR-UN Number: 3082 IATA-UN Number: 3082 IMDG-UN Number: 3082 14.2. UN shipping name

ADR-Shipping Name: 3082.3082.3082.3082-III (reaction product: bisphenol-A-epichlorohydrin, 1,6-bis (2,3-epoxypropoxy) hexane) IATA-Shipping Name: 3082.3082.3082.3082-III (reaction product: bisphenol-A-epichlorohydrin, 1,6-bis (2,3-epoxypropoxy) hexane) IMDG-Shipping Name: 3082.3082.3082.3082-III (reaction product: bisphenol-A-epichlorohydrin, 1,6-bis (2,3-epoxypropoxy) hexane) 14.3. Danger classes related to transport

ADR-Class: 9

ADR - Hazard identification number: 90

IATA-Class: 9 IATA-Label: 9 IMDG-Class: 9 14.4. Packing group ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III

14.5. Dangers for the environment ADR-Environmental pollutant: Yes IMDG-Marine pollutant: Marine Pollutant

Most important toxic component: reaction product: bisphenol-A-epichlorohydrin

14.6. Special precautions for users

ADR-Subsidiary risks: -ADR-S.P .: 274 335 375 601

ADR-Transport category (Tunnel restriction code): 3 (-)

IATA-Passenger Aircraft: 964 IATA-Subsidiary risks: -IATA-Cargo Aircraft: 964 IATA-S.P.: A97 A158 A197

IATA-ERG: 9L IMDG-EMS: F-A, S-F IMDG-Subsidiary risks: -

IMDG-Stowage and handling: Category A

IMDG-Segregation:

14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

N.A.

SECTION 15. Regulatory information.

15.1. Legislative and regulatory provisions on health, safety and environment specific to the substance or mixture D.Lgs. 9/4/2008 n. 81

D. M. Job 02/26/2004 (Occupational Exposure Limits)

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 7/8

VL3D VETRO LIQUIDO 100-60 COMP. A

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or substances contained according to Annex XVII of Regulation (EC) 1907/2006 (REACH) and subsequent amendments:

Restrictions related to the product:

Restriction 3

Restrictions on the substances contained:

No restrictions.

Where applicable, refer to the following regulations:

Ministerial circulars 46 and 61 (aromatic amines).

Directive 2012/18 / EU (Seveso III)

Regulation 648/2004 / EC (Detergents).

D.L. 3/4/2006 n. 152 Environmental regulations

Dir. 2004/42 / EC (VOC Directive)

Provisions relating to EU Directive 2012/18 (Seveso III):

Seveso III category according to Annex 1, Part 1

The product belongs to the categories: E2

15.2. Evaluation of chemical safety

No chemical safety assessment has been performed for the mixture

SECTION 16. Other information.

Text of the sentences used in paragraph 3:

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Class and category of danger	Code	Description
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin sensitization, Category 1
Aquatic Chronic 2	4.1/C2	Chronic (long-term) danger to the aquatic environment,
		Category 2

The information contained in this safety data sheet is based on our current knowledge and is

supplied in compliance with the requirements of the EU and national regulations. The working conditions of the user final results are not our responsibility and control.

The product must not be used for purposes other than those indicated in section 1 without having obtained preventive measures written instructions. We do not take responsibility for improper use.

It is always the responsibility of the user to comply with the rules of hygiene, safety and protection of the environment provided for by the laws in force.

The information contained in this sheet is to be understood as a description of the characteristics of the product for safety purposes: guarantees of the properties of the product itself are not to be considered.

Paragraphs modified with respect to the previous revision:

SECTION 9: physical and chemical properties

SECTION 11: Toxicological information

SECTION 13: Disposal considerations

SECTION 14: transport information

Revisione n. 1

Data revisione 31/05/2018

Stampata il 31/05/2018

Pagina n. 8/8

VL3D VETRO LIQUIDO 100-60 COMP. A

SECTION 15: regulatory information SECTION 16: other information

Classification and procedure used to derive it according to Regulation (EC) 1272/2008 [CLP] in relation to the mixtures:

Classification according to regulation (EC) n. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was written by a competent SDS technician and has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Center, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Annex 1

Higher Institute of Health - National Inventory of Chemical Substances

The information contained therein is based on our knowledge at the date stated above. They refer only to the product indicated and do not constitute a guarantee of particular qualities.

The user is required to ensure the suitability and completeness of this information in relation to the specific use that he must make.

This sheet supersedes any previous edition.

ADR: European Agreement on the International Road Transport of Dangerous Goods.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived level without effect.

EINECS: European inventory of existing European chemical substances on the market.

GefStoffVO: Ordinance on hazardous substances in Germany.

GHS: Global harmonized classification and labeling system for chemical products.

IATA: International Air Transport Association.

IATA-DGR: Regulation on dangerous goods of the "Association for International Air Transport" (IATA).

ICAO: International organization for civil aviation.

ICAO-TI: Technical instructions of the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International nomenclature of cosmetic ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration for 50 percent of the test population.

LD50: Lethal dose for 50 percent of the test population.

PNEC: Expected concentration without effect.

RID: Regulations concerning the international transport of dangerous goods by rail.

STEL: Short-term exposure limit. STOT: Organ-specific toxicity. TLV: Threshold limit value. TWA: Time weighted average

WGK: Hazard class for water (Germany).